SERVICE MANUAL

ATLANTIC/PACIFIC

handicare

© 2011 Handicare

All rights reserved.
The information provided herein may not be reproduced and/or published in any form, by print, photo print, microfilm or any other means whatsoever (electronically or mechanically) without the prior written authorisation of Handicare.

The information provided is based on general data concerning the constructions known at the time of the publication of this manual. Handicare executes a policy of continuous improvement and reserves the right to changes and modifications.

The information provided is valid for the product in its standard version. Handicare cannot be held liable for possible damage resulting from specifications of the product deviating from the standard configuration.

The available information has been prepared with all possible diligence, but Handicare cannot be held liable for possible errors in the information or the consequences thereof.
Handicare accepts no liability for loss resulting from work executed by third parties.

Names, trade names, etc. used by Handicare may not, as per the legislation concerning the protection of trade names, be considered as being available.

1 Spare parts 4
1.1 Use of the parts lists 4
1.2 Carrier 5
01 Carrier and motors Atlantic (FWD) - version 2 5
02 Carrier and motors Pacific (RWD) - version 2 7
03 Covers and lighting Atlantic (FWD) 9
04 Covers and lighting Pacific (RWD) 10
1.3 Seat adjustments 11
05 Mechanical tilt Atlantic (FWD) - version 2 11
06 Mechanical tilt Pacific (RWD) - version 2 12
07 Electrical tilt Atlantic (FWD) - version 2 13
08 Electrical tilt Pacific (RWD) - version 2 14
1.4 Seating frames 15
09 Standard seating frame 15
1.5 Armrests 16
10 Armrest with remote 16
11 Armrest PU with remote 17
12 Armrest without remote 18
13 Armrest PU without remote 19
1.6 Legrests 20
14 Standard legrest 20
15 Comfort legrest 21
16 Electrical legrest 22
17 Legrest holder 24
18 Mounting plate for legrest holder 25

2 Specifications 26
2.1 CE declaration of conformity 26
2.2 Technical specifications 26

3 Warranty 27
3.1 Definitions of terms 27
3.2 Warranty period table 27

1 Spare parts

1.1 Use of the parts lists

This document is meant as a reference book to be used to order parts for the Atlantic and Pacific.

How to order:
When ordering parts, please specify:
- Serial number (see the identification plate)
- Group (to which the relevant part belongs)
- Article number
- Number of parts required
- Description (in the relevant language)
- Dimensions (if applicable)

Remark:
- If a part does not have a position number, it means that the part concerned cannot be purchased separately. The part concerned is part of the assembly shown. This assembly must be ordered as one piece. It has to be replaced in its entirety.
- Boxed position numbers refer to the relevant drawing.

Order address:
Please mail or fax your orders to your supplier.

Service technicians:
Repairs may only be carried out by trained and authorised service technicians.
During the execution of their work they are at all times fully responsible for the fulfilment of locally applicable safety guidelines and standards.
Temporary employees and persons in training may only carry out repair and replacement work under the supervision of an authorised service technician.

1.2 Carrier

01 Carrier and motors Atlantic (FWD) - version 2



Pos	Qty	Article number	Description
1	1	81012	Suspension bracket for Atlantic/Pacific
2	1	11516	Battery box
3	2	11003	Fork, 17 mm
4	2	AC20425	Spring strut, Atlantic/Pacific
5	2	81013	Engine mounting pin for Atlantic/Pacific
6	2	11033	Wheel hub for aluminium rim
7	4	21008	Spacer bushing, drive wheel
8	4	12020	Suspension bracket rubber, 20x25, M6
9	2	11029	Star knob, M8, complete
10	2	81008	Bearing suspension bracket for Atlantic/Pacific
11	1	1015234	Swivel wheel left, air 300x4 (260 x 85)
11	1	1015236	Swivel wheel left, PU 300x4 (260 x 85)
11	1	1015235	Swivel wheel right, air 300x4 (260 x 85)
11	1	1015237	Swivel wheel right, PU 300x4 (260 x 85)
12	4	0695560	Ball bearing 6003
13	2	1006751	Collar 18mm
14	2	4506450	Key for motor for powered wheelchair
15	4	91067	Slide bearing plastic, M-250
16	1	21024	Micro Motor Heavy Duty RWD left/FWD right (PGMST 110/40-L 032.8237/8245)
17	1	21025	Micro Motor Heavy Duty RWD right/FWD left (PGMST 110/40-R 032.8238/8246)
18	2	1015252	Wheel, aluminium, air 300x8, block profile
18	2	1015253	Wheel, aluminium, PU 300x8, block profile
19	1	7000004	Main frame Bariatric chair
20	2	053.00001.000	Insert cap, oval, 60x30 mm
21	2	8820965	Insert cap, diameter 36
22	1	21029-E	Motor bracket, extended for FWD, right
23	1	21028-E	Motor bracket, extended for FWD, left
24	4	21030-E	Spring strut support for FWD, long base

Continued from **01 Carrier and motors Atlantic (FWD) - version 2**

Pos	Qty	Article number	Description
25	2	00000.2806	Cupped spring washer 34,6x22,4x0,5
-	2	1015115	Inner tube 3.00x4
-	2	1015105	Outer tyre 3.00x4 grey block profile
-	2	1015117	Inner tube 3.00x8
-	2	1015111	Outer tyre 3.00x8 grey block profile

02 Carrier and motors Pacific (RWD) - version 2



Pos	Qty	Article number	Description
1	2	AC20425	Spring strut, Atlantic/Pacific
2	2	81003	Front fork, Pacific
3	1	81012	Suspension bracket for Atlantic/Pacific
4	1	11516	Battery box
5	1	7000004	Main frame Bariatric chair
6	2	81004	Wheel axle for front fork, Pacific
7	2	81013	Engine mounting pin for Atlantic/Pacific
8	2	11033	Wheel hub for aluminium rim
9	4	21008	Spacer bushing, drive wheel
10	4	12020	Suspension bracket rubber, 20x25, M6
11	2	11029	Star knob, M8, complete
12	2	81008	Bearing suspension bracket for Atlantic/Pacific
13	4	0695560	Ball bearing 6003
14	2	1006751	Collar 18mm
15	2	4506450	Key for motor for powered wheelchair
16	4	91067	Slide bearing plastic, M-250
17	1	21024	Micro Motor Heavy Duty RWD left/FWD right (PGMST 110/40-L 032.8237/8245)
18	1	21025	Micro Motor Heavy Duty RWD right/FWD left (PGMST 110/40-R 032.8238/8246)
19	2	1015252	Wheel, aluminium, air 300x8, block profile
19	2	1015253	Wheel, aluminium, PU 300x8, block profile
20	2	8820965	Insert cap, diameter 36
21	2	00000.2806	Cupped spring washer 34,6x22,4x0,5
22	4	1006750	Flat washer M10
23	2	053.00001.000	Insert cap, oval, 60x30 mm
24	1	21001-E	Motor bracket, right, for RWD
25	1	21002-E	Motor bracket, left, for RWD
26	2	21007	Spring strut support, anti-tip
27	2	21005	Spring strut support

Continued from **02 Carrier and motors Pacific (RWD) - version 2**

Pos	Qty	Article number	Description
28	2	91003	Anti-tilt wheel
29	4	1017473	Swivel wheel, aluminium, air 2.80/2.50-4
29	4	1017474	Swivel wheel, aluminium, PU 2.80/2.50-4
-	2	1015117	Inner tube 3.00x8
-	2	1015111	Outer tyre 3.00x8 grey block profile
-	2	1015116	Inner tube 2.80/2.50x4
-	2	1015107	Outer tyre 2.80/2.50x4 grey line profile

03 Covers and lighting Atlantic (FWD)



Pos	Qty	Article number	Description
1	1	81002	Lighting bracket, Atlantic
2	2	21020	Support for directional stabilizer, mounting bar
3	1	7000018	Side cover right FWD
4	1	7000017	Side cover left FWD
5	1	11012	Battery box cover, standard
6	1	11013	Battery box shield
7	2	00355.4224	Rear light
8	2	00355.4225	Indicator light
9	1	81007	Light unit, broad for Atlantic
10	1	89001	Lighting cable, rear

04 Covers and lighting Pacific (RWD)



Pos	Qty	Article number	Description
1	1	7000020	Side cover right RWD
2	1	7000019	Side cover left RWD
3	1	11013	Battery box shield
4	1	11012	Battery box cover, standard
5	2	00355.4224	Rear light
6	2	00355.4225	Indicator light
7	1	81507	Rear lighting bar, complete, for Atlantic/Pacific
8	1	89001	Lighting cable, rear

1.3 Seat adjustments

05 Mechanical tilt Atlantic (FWD) - version 2



Pos	Qty	Article number	Description
1	1	82006	Connector bar
2	2	16004	Hinge plate
3	2	11025	Collar bearing ring, 16-12-8
4	2	7000001	Threaded rod M10x130
5	2	7000000	Ball Joint CS 16 - M10
6	2	7000006	Tilt link universal nut

06 Mechanical tilt Pacific (RWD) - version 2



Pos	Qty	Article number	Description
1	2	16010	Mount for powered tilt adjustment
2	2	16004	Hinge plate
3	2	11025	Collar bearing ring, 16-12-8
4	2	91033	Decorative cap, M 8
5	1	82006	Connector bar
6	2	7000001	Threaded rod M10x130
7	2	7000006	Tilt link universal nut
8	2	7000000	Ball Joint CS 16 - M10

07 Electrical tilt Atlantic (FWD) - version 2



Pos	Qty	Article number	Description
1	1	82006	Connector bar
2	2	7000006	Tilt link universal nut
3	1	82010	Tilt hinge for Atlantic
4	1	82007	Connector bar, tilt for Atlantic
5	1	16313	Pin, actuator, raise
6	4	11025	Collar bearing ring, 16-12-8
7	1	86005	Tilt actuator (100 mm)
8	1	00001.0102	Fitted bolt M8-10x40mm
9	2	00000.1402	Shaft lock washer 8mm DIN6799 RVS
10	2	16004	Hinge plate
11	2	7000000	Ball Joint M10 x 16
12	2	7000001	Threaded rod M10x130

08 Electrical tilt Pacific (RWD) - version 2



Pos	Qty	Article number	Description
1	1	86005	Tilt actuator (100 mm)
2	1	82005	Connector bar, powered tilt for Pacific
3	1	16313	Pin, actuator, raise
4	1	86003	Brace for tilt bracket for Pacific
5	1	2361000	Fitted bolt M8 9x30
6	2	00000.1404	Shaft lock washer 7mm
7	2	16004	Hinge plate
8	2	11025	Collar bearing ring, 16-12-8

1.4 Seating frames

09 Standard seating frame



Pos	Qty	Article number	Description
1	1	12043	Washer plate for one-off setting of backrest adjustment
2	1	7000003	Seat depth adjustment Bariatric V2
3	1	82003	Back frame for Atlantic/Pacific
4	1	82001	Seat frame for Atlantic/Pacific
5	1	12040	One-off adjustable backrest adjustment, inner U section
6	1	12041	One-off adjustable backrest adjustment, outer U section for powered wheelchairs
7	2	1043	Insert cap round 25mm

1.5 Armrests

10 Armrest with remote



Pos	Qty	Article number	Description
1	2	12011	Side support
2	2	12021	Armrest width adjustment
3	2	12026	Thread block
4	4	12036	Height pin, including eyelet
5	2	12022	Support bracket, width adjustment
6	2	11030	Star knob, M10, complete
7	2	42205	Spacer plate, side shield
8	2	15501	Armrest shell
9	1	12003	Armrest mount
10	2	12031	Side cushion bracket
11	2	00000.6201	Quick-locking system D6 M6 without head
12	2	99030	Washer nylon 8,4x40
13	1	12009	Controller bracket handle
14	1	1006753	Quick-locking system with cap 4mm chr
15	1	12016	Armrest mount for controller
16	1	12014	Cap for controller bracket handle
17	1	12019	Spring
18	1	12015	Fixation U section
19	1	12010	Stop pin
20	1	12008	Controller bracket tube
21	2	12535	Side cushion plate with holes
21	2	17026	Smoked glass side shield, 8 mm + 2x M5
22	2	15201	Arm rest
23	2	15403	Side cushion
-	1	AL10000	Armrest support, complete (left and right), including controller bracket
-	1	12013	Remote holder for Wheelbase remote
-	1	12012	Remote holder for Pilot+ remote

11 Armrest PU with remote



Pos	Qty	Article number	Description
1	1	9002788	Armrest PU, 20-24 inch, left
1	1	9002789	Armrest PU, 20-24 inch, right
2	2	12031	Side cushion bracket
3	1	12003	Armrest mount
4	4	12036	Height pin, including eyelet
5	10	1006754	Cupped spring washer 20x8x0,6
6	2	8600282	Ball knob M6 R/20 black
7	2	42203	Armrest release, left/right
8	2	42204	Locking plate for armrest release
9	2	12063	Side support for armrest release
10	2	42205	Spacer plate, side shield
11	2	12021	Armrest width adjustment
12	2	12022	Support bracket, width adjustment
13	2	12026	Thread block
14	2	99030	Washer nylon 8,4x40
15	1	12009	Controller bracket handle
16	1	1006753	Quick-locking system with cap 4mm chr
17	1	12016	Armrest mount for controller
18	1	12014	Cap for controller bracket handle
19	1	12019	Spring
20	1	12015	Fixation U section
21	1	12010	Stop pin
22	1	12008	Controller bracket tube
23	2	12535	Side cushion plate with holes
23	2	17026	Smoked glass side shield, 8 mm + 2x M5
24	2	15403	Side cushion

12 Armrest without remote



Pos	Qty	Article number	Description
1	2	12011	Side support
2	2	12021	Armrest width adjustment
3	2	12026	Thread block
4	4	12036	Height pin, including eyelet
5	2	12022	Support bracket, width adjustment
6	2	11030	Star knob, M10, complete
7	2	42205	Spacer plate, side shield
8	2	15501	Armrest shell
9	2	12003	Armrest mount
10	2	12031	Side cushion bracket
11	2	00000.6201	Quick-locking system D6 M6 without head
12	2	12535	Side cushion plate with holes
12	2	17026	Smoked glass side shield, 8 mm + 2x M5
13	2	15201	Arm rest
14	2	15403	Side cushion
-	1	AL10320	Armrest with shell, set

13 Armrest PU without remote



Pos	Qty	Article number	Description
1	1	9002788	Armrest PU, 20-24 inch, left
1	1	9002789	Armrest PU, 20-24 inch, right
2	2	12031	Side cushion bracket
3	2	12003	Armrest mount
4	4	12036	Height pin, including eyelet
5	10	1006754	Cupped spring washer 20x8x0,6
6	2	8600282	Ball knob M6 R/20 black
7	2	42203	Armrest release, left/right
8	2	42204	Locking plate for armrest release
9	2	12063	Side support for armrest release
10	2	42205	Spacer plate, side shield
11	2	12021	Armrest width adjustment
12	2	12022	Support bracket, width adjustment
13	2	12026	Thread block
14	2	12535	Side cushion plate with holes
14	2	17026	Smoked glass side shield, 8 mm + 2x M5
15	2	15403	Side cushion

1.6 Legrests

14 Standard legrest



Pos	Qty	Article number	Description
1	1	14003	Upper tube standard leg rest, left
1	1	14004	Upper tube standard leg rest, right
2	1	14005	Leg rest release lever, left
2	1	14006	Leg rest release lever, right
3	1	14011	Spring release lever, left
3	1	14014	Spring release lever, right
4	1	14007	Lower tube, leg rest
5	1	14009	Ankle hinge
6	1	91039	Vibration damper, M4x13
7	1	8049150	Insert cap, flat, oval, 30x15
8	2	91065	Decorative plug, 8.5x12x8
9	1	8600620	Bling rivet nut M8
10	1	84042	Footplate for Atlantic/Pacific, left/right
11	1	84043	Footplate holder for Atlantic/Pacific, left,/right
-	1	BS20000L	Standard Bariatric leg rest left
-	1	BS20000R	Standard Bariatric leg rest right
-	1	BS20000	Standard Bariatric leg rest set
-	2	BS10524	Footplate complete with holder

15 Comfort legrest



Pos	Qty	Article number	Description
1	1	14026	Hinge, calf support
2	1	14027	Calf support bracket
3	1	14023	Cap, comfort leg rest
4	1	14009	Ankle hinge
5	1	91040	Control block, gas spring, right-angled (excluding lever and knob)
6	2	91046	Fixing ring
7	1	14036	Operating lever for comfort leg rest
8	1	8600282	Ball knob M6 R/20 black
9	1	91039	Vibration damper, M4x13
10	1	14011	Spring release lever, left
10	1	14014	Spring release lever, right
11	1	91025	Gas spring for comfort leg rest
12	1	14005	Leg rest release lever, left
12	1	14006	Leg rest release lever, right
13	1	001.14080.002	Fork, M8x16
14	1	84043	Footplate holder for Atlantic/Pacific, left,/right
15	1	99030	Washer nylon 8,4x40
16	1	14007	Lower tube, leg rest
17	1	14029	Upper tube, comfort leg rest, left
17	1	14030	Upper tube, comfort leg rest, right
18	1	8049150	Insert cap, flat, oval, 30x15
19	1	84042	Footplate for Atlantic/Pacific, left/right
20	1	14015	Leg rest head for comfort leg rest, left
20	1	14016	Leg rest head for comfort leg rest, right
21	2	00000.7001	Plastic Washer M5
-	1	BS10522L	Comfort Bariatric leg rest left
-	1	BS10522R	Comfort Bariatric leg rest right
-	1	BS10522	Comfort Bariatric leg rest set
-	2	BS10524	Footplate complete with holder

16 Electrical legrest



Pos	Qty	Article number	Description
1	1	14029	Upper tube, comfort leg rest, left
1	1	14030	Upper tube, comfort leg rest, right
2	1	14031	Leg rest head, powered leg rest, left
2	1	14032	Leg rest head, powered leg rest, right
3	1	14007	Lower tube, leg rest
4	1	14037	Cover plate for powered leg rest
5	1	14009	Ankle hinge
6	1	14011	Spring release lever, left
6	1	14014	Spring release lever, right
7	1	14042	Cap, powered leg rest
8	1	14027	Calf support bracket
9	1	16504	Actuator, leg adjustment, left or right
10	1	14005	Leg rest release lever, left
10	1	14006	Leg rest release lever, right
11	1	14026	Hinge, calf support
12	1	14034L	Cable set, leg rest left
12	1	14034R	Cable set, leg rest right
13	2	91046	Fixing ring
14	1	91039	Vibration damper, M4x13
15	1	91064	Spacer, 6.2x10x10
16	1	99030	Washer nylon 8,4x40
17	1	8600620	Bling rivet nut M8
18	1	8049150	Insert cap, flat, oval, 30x15
19	2	91065	Decorative plug, 8.5x12x8
20	2	00000.7001	Nylon positioning ring, black, M5
21	1	BS30020L	Leg rest bracket, angle adjustable, for powered leg rest, left
21	1	BS30020R	Leg rest bracket, angle adjustable, for powered leg rest, right
22	1	84043	Footplate holder for Atlantic/Pacific, left,/right
23	1	14053	Footplate connecting to seat width 55 cm

Continued from **16 Electrical legrest**

Pos	Qty	Article number	Description
-	1	BS10520L	Electrical Bariatric leg rest left
-	1	BS10520R	Electrical Bariatric leg rest right
-	1	BS10520	Electrical Bariatric leg rest set
-	2	BS10524	Footplate complete with holder

17 Legrest holder



Pos	Qty	Article number	Description
1	1	14903	Mounting plate, leg rest bracket, powered adjustment, left
1	1	14904	Mounting plate, leg rest bracket, powered adjustment, right
2	2	14500	Hinge pin + lock nut
3	1	91077	Spacer bushing, 6.2x10.5
4	1	91035	Fork, M6x12 with 1 x diameter 10.1
5	1	14901	Adjustable leg rest bracket, left
5	1	14902	Adjustable leg rest bracket, right
6	1	8741160	Flat nut M6
-	1	BS30010L	Leg rest bracket, one-off adjustment, left
-	1	BS30010R	Leg rest bracket, one-off adjustment, right

18 Mounting plate for legrest holder



Pos	Qty	Article number	Description
1	2	14500	Hinge pin + lock nut
2	1	14033	Leg rest contact for mounting on leg rest bracket
3	1	8741160	Flat nut M6
4	1	14905	Mounting plate, powered leg rest bracket, left
4	1	14906	Mounting plate, powered leg rest bracket, right
-	1	BS30024L	Mounting plate, electrical leg rest bracket, including hinge pin, left
-	1	BS30024R	Mounting plate, electrical leg rest bracket, including hinge pin, right

2 Specifications

2.1 CE declaration of conformity

CE The product is in conformity with the provisions of the Medical Devices Directive and carries the CE mark.
The product also meets the following requirements and standards. This has been verified by independent test organizations.

Standard	Definition/description
EN 12184 (1999)	Electrically powered seating systems.
ISO 7176-8	Requirements for impact, static and fatigue strength.
ISO 7176-9	Climatic tests for electric seating systems and scooters.
ISO 7176-14	Drive and control systems for electric wheelchairs
ISO 7176-16	Requirements for resistance to ignition of upholstered parts.

2.2 Technical specifications

Description	Atlantic	Pacific	Unit
Axle configuration	FWD	RWD	
Maximum user weight	200	200	kg
Batteries (C20) approximately	74	74	Ah
Total weight excl. batteries (standard configuration)	85	85	kg
Total weight incl. batteries	115	115	kg
Total length	1105	1105	mm
Total width	740	740	mm
Seat angle	0 - 10	0 - 10	°
Seat depth	415 - 540	415 - 540	mm
Seat width	600 - 730	600 - 730	mm
Seat height excl. cushion	440 - 465 - 490	440 - 465 - 490	mm
Seat height incl. cushion	510 - 535 - 560	510 - 535 - 560	mm
Backrest angle	90 - 115	90 - 115	°
Back height	540	540	mm
Lower leg length	400 - 540	400 - 540	mm
Armrest height	200 - 300	200 - 300	mm
Diameter castor wheels (indoor)	250	220	mm
Diameter castor wheels (outdoor)	250	220	mm
Diameter drive wheels	350	350	mm
Tyre pressure castor wheels	3,5	3,5	bar
Tyre pressure drive wheels	2,8	2,8	bar
Maximum speed	8	8	km/h
Range (ISO 7176-4)	25	25	km
Dynamic stability (max. safe slope)	8 (14%)	10 (17,5%)	°
Obstacle height	60	60	mm
Ground clearance	80	80	mm
Turning radius (ISO 7176-5)	700	990	mm

3 Warranty

3.1 Definitions of terms

Definitions of terms used in this warranty:
- Consumable part: Part that is subjected to natural wear and tear or natural contamination during normal operation within the lifetime of the product (section 9 of Handicare's general terms and conditions of sale);
- Client: Those who purchase the product directly from Handicare;
- Corrective action: Repair, replace or refund of the product;
- Dealer: Those who re-sell the product to the User;
- Defect: Any circumstance due to which the product is not sound or fit to use, caused by a lack of quality of the material used to manufacture the product as well as the quality of the manufacturing process;
- Option: An accessory delivered by Handicare to extend the standard product model;
- Product: Product that is delivered according to brochure or contract (e.g. wheelchair, scooter, battery-charger etc.);
- Part: Part of product that can be exchanged or replaced. This can be an option, accessory, service part or consumable part;
- Returns: Product or part that needs to be returned;
- RMA-process: Process to return goods, contact Handicare's Customer Service;
- Service part: Part that is durable and may be subjected to natural wear and tear or natural contamination during normal operation within the lifetime of the product.;
- User: Those who use the product;
- Warranty: The rights and obligations set forth in this document;
- Warranty period: The period of time during which the warranty is valid;
- Warranty provider: Handicare B.V., Vossenbeemd 104, 5705 CL Helmond, The Netherlands.

Notwithstanding the rights and obligations of Handicare, Client and User set forth in Handicare's general terms and conditions of sale, the rights of the Client and/or User towards Handicare in case of defects are limited to the provisions set forth in this warranty. For the duration of the warranty period Handicare guarantees that the product is without defects.
In case of any defects the User is required –within two weeks after discovery of the defect- to contact the dealer. He has to complete a return form and return the product or part via the RMA-process. Handicare will, at its sole discretion, take the corrective action it seems fit under the given circumstances within a reasonable period of time (depends on nature of claim) from receipt of the completed return form. The warranty period will not be extended after a corrective action.

3.2 Warranty period table

Power wheelchairs / scooters

Description	Warranty period	Examples include, but are not limited to the parts mentioned below
Frame	2 years	Weldment/frame
Drive system	1 year	Transaxle, motor, motor brake
Electronics	1 year	Controller, controlling mechanism, wiring harness, electronic components
Service Parts	New: 1 year after invoice Repaired: 90 days after invoice	Brakes
Consumable parts	40 days after invoice	Wheels, push handles etc.
Options/Accessories	2 years	Mirror, mudguards etc. Not being service part or consumable part.

Handicare will only accept shipment costs and corrective costs related to warranty on equipment during the warranty period.

This warranty will void in case of:
- The product and/or its parts being modified or items having been added by others than Handicare;
- Changes in cosmetic appearance by use;
- Failure to observe the instructions for use and maintenance, use other than normal use, wear and tear, negligence, collateral damage by neglect of earlier symptoms, overloading, third-party accidents, non-original parts used and defects not caused by the product;
- Circumstances beyond our control (flood, fire, etc.).

This warranty does not cover:
- Tyres and inner tubes
- Batteries (covered by the battery manufacturer's warranty).

Clients and/or Users have legal (statutory) rights under applicable national laws relating to the sale of consumer products. This warranty does not affect statutory rights you may have nor those rights that cannot be excluded or limited, nor rights against the entity from whom the product was purchased. Clients may assert any rights they have at their sole discretion.

Version	Page	Draw	Changes
V1 2014			Created separate Atlantic/Pacific service manual
	7	02	Changed article numbers position 29 into 1009334 and 1015543
	12	07	Changed article number position 5 into 2361000
V1 2015	5	1	• Changed article number 31012 into 21008 and adapted description • Changed article number 1006636, 1006638, 1006635, 1006637, 1008812, 1008813 and 8049155 into 1015234, 1015236, 1015235, 1015237, 1015252, 1015253 and 053.00001.000 • Added article numbers 1015115, 1015105, 1015117 and 1015111
	6	2	• Changed article number 31012 into 21008 and adapted description • Changed article number 1008812, 1008813, 8049155, 1009334 and 1015543 into 1015252, 1015253, 053.00001.000, 1017473 and 1017474 • Added article numbers 1015117, 1015111, 1015116 and 1015107
	12	7	Added drawing and part numbers 'Electrical tilt Atlantic (FWD) - version 2'
	15	10	• Changed article numbers 15401 and 12035 into 15501 and 12535 • Added article numbers AL10000, 12013 and 12012
	16	11	Changed article number 12035 into 12535
	17	12	• Changed article numbers 15401 and 12035 into 15501 and 12535 • Added article number AL10320
	18	13	Changed article number 12035 into 12535
	19	14	Added article number BS10524
	20	15	Added article number BS10524
	21	16	Added article number BS10524
	26		Updated warranty text

Handicare B.V.
Vossenbeemd 104
5705 CL Helmond
The Netherlands

T +31 (0)492 593 888
F +31 (0)492 537 931
www.handicare.com